



## Safety Data Sheet

Copyright, 2011, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	28-5382-8	<b>Version number:</b>	1.01
<b>Revision date:</b>	05/09/2011	<b>Supersedes date:</b>	02/09/2011
<b>Transportation version number:</b>	1.00 (02/09/2011)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

M87, High Temp Mold Release Wax (Original Formula): M8711

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Mold release agent

#### 1.3. Details of the supplier of the substance or mixture

**Address:** Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF  
**Telephone:** +44 (0)870 241 6696  
**E Mail:** info@meguiars.co.uk  
**Website:** www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

#### 2.2. Label elements

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

**Symbols** None.

##### Contains:

No ingredients are assigned to the label.

**M87, High Temp Mold Release Wax (Original Formula): M8711****Risk phrases**

R66 Repeated exposure may cause skin dryness or cracking.  
R67 Vapours may cause drowsiness and dizziness.

**Safety phrases**

S23A Do not breathe vapour.  
S24 Avoid contact with skin.  
S62 If swallowed, do not induce vomiting: Seek medical advice immediately and show this container or label.

**Notes on labelling**

R65 is not required on the label due to the product's viscosity.

Nota P applied to CAS 64742-48-9.

N; R51/53 classification for CAS 64742-48-9 and 64742-47-8 not applied based on vendor data.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Naphtha (petroleum), hydrotreated heavy	64742-48-9	EINECS 265-150-3	40 - 60	Xn:R65 - Nota 4,H,P (EU) N:R51/53 (Vendor) R66; R67 (Self Classified)  Asp. Tox. 1, H304 - Nota H,P (CLP) STOT SE 3, H336 (Self Classified)
Distillates (petroleum), hydrotreated light	64742-47-8	EINECS 265-149-8	10 - 30	Xn:R65 - Nota 4,H (EU) R66; R67 (Self Classified) N:R51/53 (Concawe no. 01/54)  Asp. Tox. 1, H304 (CLP) STOT SE 3, H336 (Self Classified)
Conditioners	Trade Secret		< 20	
Siloxanes and silicones, di-Me	63148-62-9		5 - 10	

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Eye contact**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**Skin contact**

## M87, High Temp Mold Release Wax (Original Formula): M8711

Wash with soap and water. If signs/symptoms develop, get medical attention.

### **Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

### **If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

### **4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

### **4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

## **SECTION 5: Fire-fighting measures**

### **5.1. Extinguishing media**

In case of fire: Use a fire fighting agent suitable for flammable liquids or gases such as dry chemical or carbon dioxide.

### **5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

### **Hazardous Decomposition or By-Products**

<u>Substance</u>	<u>Condition</u>
Formaldehyde	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

### **5.3. Advice for fire-fighters**

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### **6.2. Environmental precautions**

Avoid release to the environment.

### **6.3. Methods and material for containment and cleaning up**

Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Collect as much of the spilled material as possible using non-sparking tools. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Place in a closed container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible.

### **6.4. Reference to other sections**

## M87, High Temp Mold Release Wax (Original Formula): M8711

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial or professional use only. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not use in a confined area or areas with little or no air movement. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Vapours may travel long distances along the ground or floor to an ignition source and flash back.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidising agents. Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store away from strong bases.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Naphtha (petroleum), hydrotreated heavy	64742-48-9	3M	TWA:100 ppm	

Health and Safety Comm. (UK) : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m<sup>3</sup>: milligrams per cubic metre

CELL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Wear eye/face protection.

The following eye protection(s) are recommended: Safety glasses with side shields.

##### Skin/hand protection

Gloves made from the following material(s) are recommended: Nitrile rubber.

##### Respiratory protection

Select one of the following approved respirators based on airborne concentration of contaminants and in accordance with

regulations:

Half face piece or full face air-purifying respirator with organic vapour cartridges.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Paste
Appearance/Odour	Sweet fragrance; Yellow, cream-coloured paste
pH	<i>Not applicable.</i>
Boiling point/boiling range	365 °C
Melting point	<i>Not applicable.</i>
Flammability (solid, gas)	Flammable Liquid: Category 4.
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	65.6 °C [ <i>Test Method:</i> Pensky-Martens Closed Cup] [ <i>Details:</i> M8711]
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Vapour pressure	<i>No data available.</i>
Relative density	0.82 [ <i>Ref Std:</i> WATER=1]
Water solubility	Nil
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Vapour density	<i>No data available.</i>
Viscosity	<i>No data available.</i>
Density	0.82 g/cm <sup>3</sup>

### 9.2. Other information

Volatile organic compounds (VOC)	73.90 % weight
VOC less H <sub>2</sub> O & exempt solvents	605.98 g/l

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

Sparks and/or flames.

### 10.5 Incompatible materials

Strong acids.

Strong bases.

**M87, High Temp Mold Release Wax (Original Formula): M8711**

Strong oxidising agents.

**10.6 Hazardous decomposition products****Substance**

None known.

**Condition****SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects****Signs and Symptoms of Exposure**

**Based on test data and/or information on the components, this material may produce the following health effects:**

**Eye contact**

Contact with the eyes during product use is not expected to result in significant irritation.

**Skin contact**

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

**Inhalation**

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause target organ effects after inhalation.

**Ingestion**

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

**Target Organ Effects:**

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

**Toxicological Data****Acute Toxicity**

Name	Route	Species	Value	UN GHS Classification
Overall product	Ingestion		No test data available; calculated ATE >5,000 mg/kg	Not classified (13% unknown)
Naphtha (petroleum), hydrotreated heavy	Dermal	Rabbit	LD50 > 3,000 mg/kg	Category5
Naphtha (petroleum), hydrotreated heavy	Inhalation-Vapor (4 hours)	Rat	LC50 estimated to be 20 - 50 mg/l	Category5
Naphtha (petroleum), hydrotreated heavy	Ingestion	Rat	LD50 > 5,000 mg/kg	Not classified
Distillates (petroleum), hydrotreated light	Dermal	Rabbit	LD50 > 3,160 mg/kg	Category5
Distillates (petroleum), hydrotreated light	Inhalation-Dust/Mist (4	Rat	LC50 > 3.0 mg/l	Not classified

**M87, High Temp Mold Release Wax (Original Formula): M8711**

	hours)			
Distillates (petroleum), hydrotreated light	Ingestion	Rat	LD50 > 5,000 mg/kg	Not classified
Siloxanes and silicones, di-Me	Dermal		LD50 > 2,000 mg/kg	Not classified
Siloxanes and silicones, di-Me	Ingestion		LD50 > 17,000 mg/kg	Not classified

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value	UN GHS Classification
Overall product		No test data available; calculated to be mild irritant	Category 3
Naphtha (petroleum), hydrotreated heavy		Mild irritant	Category 3
Distillates (petroleum), hydrotreated light		Mild irritant	Category 3
Siloxanes and silicones, di-Me		Minimal irritation	Not classified

**Serious Eye Damage/Irritation**

Name	Species	Value	UN GHS Classification
Overall product		No test data available; calculated to cause no significant irritation	Not classified
Naphtha (petroleum), hydrotreated heavy		Mild irritant	Not classified
Distillates (petroleum), hydrotreated light		Mild irritant	Not classified
Siloxanes and silicones, di-Me		Mild irritant	Not classified

**Skin Sensitisation**

Name	Species	Value	UN GHS Classification
Overall product		No test data available.	Not classified based on component data
Naphtha (petroleum), hydrotreated heavy		Not sensitizing	Not classified
Distillates (petroleum), hydrotreated light		Not sensitizing	Not classified
Siloxanes and silicones, di-Me		No data available	

**Respiratory Sensitisation**

Name	Species	Value	UN GHS Classification
Overall product		No test data available.	Not classified based on component data
Naphtha (petroleum), hydrotreated heavy		No data available	
Distillates (petroleum), hydrotreated light		No data available	
Siloxanes and silicones, di-Me		No data available	

**Germ Cell Mutagenicity**

Name	Route	Value	UN GHS Classification
Overall product		No data available	Overall Germ Cell Mutagenicity classification Not classified

**M87, High Temp Mold Release Wax (Original Formula): M8711**

Overall product		No test data available.	
Naphtha (petroleum), hydrotreated heavy	Inhalation	Not mutagenic	Not classified
Naphtha (petroleum), hydrotreated heavy	In Vitro	Some positive data exist, but the data are not sufficient for classification	Not classified
Distillates (petroleum), hydrotreated light	In Vitro	Not mutagenic	Not classified
Siloxanes and silicones, di-Me		No data available	

**Carcinogenicity**

Name	Route	Species	Value	UN GHS Classification
Overall product			No test data available.	Not classified based on component data
Naphtha (petroleum), hydrotreated heavy	Dermal		Some positive data exist, but the data are not sufficient for classification	Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation		Some positive data exist, but the data are not sufficient for classification	Not classified
Distillates (petroleum), hydrotreated light	Dermal		Some positive data exist, but the data are not sufficient for classification	Not classified
Siloxanes and silicones, di-Me			No data available	

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration	UN GHS Classification
Overall product		No test data available.				Not classified based on component data
Naphtha (petroleum), hydrotreated heavy	Inhalation	Not toxic to reproduction and/or development		NOAEL 2.356 mg/l		
Distillates (petroleum), hydrotreated light	Inhalation	Not toxic to reproduction and/or development		NOAEL 364 ppm		
Siloxanes and silicones, di-Me		No data available				

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration	UN GHS Classification
Naphtha (petroleum),	Inhalation	central nervous	May cause drowsiness or		NOAEL N/A		Category 3



**M87, High Temp Mold Release Wax (Original Formula): M8711**

hydrotreated heavy		system depression	dizziness				
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		NOEL 6.5 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 2.4 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	heart	All data are negative		NOAEL 2.5 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	liver	All data are negative		NOAEL 0.610 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	muscles	All data are negative		NOAEL 0.61 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	kidney and/or bladder	All data are negative		NOAEL 0.610 mg/l		Not classified
Distillates (petroleum), hydrotreated light	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A		Category 3
Distillates (petroleum), hydrotreated light	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive		Not classified
Siloxanes and silicones, di-Me			No data available				

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target	Value	Species	Test	Exposure	UN GHS
------	-------	--------	-------	---------	------	----------	--------

**M87, High Temp Mold Release Wax (Original Formula): M8711**

		<b>Organ(s)</b>			<b>result</b>	<b>Duration</b>	<b>Classification</b>
Overall product			No test data available.				Not classified based on component data
Naphtha (petroleum), hydrotreated heavy	Dermal	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 691 mg/kg		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	endocrine system   muscles	Some positive data exist, but the data are not sufficient for classification		LOEL 0.616 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 4.580 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOEL 0.57 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 0.619 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	heart	All data are negative		NOAEL 1.271 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	bone, teeth, nails, and/or hair   blood   liver	All data are negative		NOAEL 5.62 mg/l		Not classified
Naphtha (petroleum), hydrotreated heavy	Inhalation	immune system	All data are negative		NOAEL 0.616 mg/l		Not classified
Distillates (petroleum), hydrotreated light	Dermal	bone, teeth, nails, and/or hair	Some positive data exist, but the data are not sufficient for classification		NOEL N/A		Not classified
Distillates (petroleum), hydrotreated light	Dermal	liver	Some positive data exist, but the data are not sufficient for classification		NOEL 1,000 mg/kg/day		Not classified
Distillates	Inhalation	hematopoietic	All data are		NOAEL		Not classified

**M87, High Temp Mold Release Wax (Original Formula): M8711**

(petroleum), hydrotreated light		etic system	negative		0.1 mg/l		
Distillates (petroleum), hydrotreated light	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification		NOEL 100 mg/kg/day		Not classified
Distillates (petroleum), hydrotreated light	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOAEL 100 mg/kg		Not classified

**Aspiration Hazard**

Name	Value	UN GHS Classification
Overall product	No test data available.	Not classified based on component and/or viscosity data
Naphtha (petroleum), hydrotreated heavy	Aspiration hazard	Category 1
Distillates (petroleum), hydrotreated light	Aspiration hazard	Category 1
Siloxanes and silicones, di-Me	Not an aspiration hazard	Not classified

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity****Acute aquatic hazard:**

GHS Acute 2: Toxic to aquatic life with long lasting effects.

**Chronic aquatic hazard:**

GHS Chronic 2: Toxic to aquatic life with long lasting effects.

No product test data available.

No component test data available.

**12.2. Persistence and degradability**

No test data available.

**12.3 : Bioaccumulative potential**

No test data available.

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5. Results of the PBT and vPvB assessment**

## M87, High Temp Mold Release Wax (Original Formula): M8711

No information available at this time, contact manufacturer for more details

### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Incinerate in an industrial or commercial facility. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

### EU waste code (product as sold)

070704\* Other organic solvents, washing liquids and mother liquors

## SECTION 14: Transportation information

ADR: Not restricted for transport.

IMDG: Not restricted for transport.

IATA: Not restricted for transport.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

### 15.2. Chemical Safety Assessment

Not applicable

## SECTION 16: Other information

### List of relevant H statements

H304 May be fatal if swallowed and enters airways.  
H336 May cause drowsiness or dizziness.

### List of relevant R-phrases

R51/53 Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.  
R65 Harmful: May cause lung damage if swallowed.  
R66 Repeated exposure may cause skin dryness or cracking.  
R67 Vapours may cause drowsiness and dizziness.

### Revision information:

Revision Changes:

**M87, High Temp Mold Release Wax (Original Formula): M8711**

Section 1: Initial issue message was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**Meguiar's, Inc. United Kingdom MSDSs are available at [www.meguiars.co.uk](http://www.meguiars.co.uk)**